


AERODROME GROUND MOVEMENT
AND PARKING CHART - ICAO

APRON A ELEV 1165FT APRON B 1164FT
APRON C, APRON K ELEV 1158FT
APRON D ELEV 1155FT
APRON M MILITARY ELEV 1158FT

TWR 118.7
GROUND 119.6

NUR-SULTAN
NURSULTAN NAZARBAYEV
INTERNATIONAL AIRPORT



Hot Spot
HS1 Runway 04
holding position is
set on TWY P



Hot Spot
HS2 Taxiway H
intersect roadway

- Warning:**
- Exit from stands 1-11, 20-23 - by towing.
 - Entrance to stands 17-19, 24-49, 70-75, 101 - 104 - by towing.
 - Use of AD by ACFT MD-11 with a full weight is limited to twenty departures per 20 hours.

VISUAL DOCKING GUIDANCE SYSTEM (VDGS)
AT STANDS 7L, 7R, 8L, 8R, 9L, 9R

AIRCRAFT TAXIING VIA APRON D BY ATC CLEARANCE ONLY.
PRIOR PERMISSION REQUIRED

APRON	STAND	SURFACE	BEARING STRENGTH	TWY	WIDTH	SURFACE	BEARING STRENGTH
A	1,4,5,6,19	CONC+ASPH	PCN 71/F/C/W/T	A	23m	CONC+ASPH	PCN 67/F/C/W/T
	2,3,17,18	REINF/CONC	PCN 70/R/B/W/T	B	23m		PCN 47/F/C/X/T
	7L,7R,8L,8R,9L,9R	CONC+ASPH	PCN 68/R/B/W/T	C,D,H	23m		PCN 73/F/C/X/T
	10,11		PCN 35/F/C/Y/T	E,P2,P3,P4	23m		PCN 69/F/C/X/T
	12-16		PCN 66/F/C/W/T	F	23m		PCN 56/F/C/X/T
	20-23		PCN 72/F/C/W/T	I	23m		PCN 32/R/B/X/T
	24-28		PCN 34/F/C/Y/T	K	23m		PCN 68/F/C/X/T
	29,30		PCN 66/F/C/W/T	L	23m		PCN 60/F/C/X/T
	37-42, 44-49		PCN 47/F/C/W/T	J,M	23m		PCN 98/F/C/W/T
	70-83, 85-88, 90-94		PCN 60/F/C/X/T	P1	23m		PCN 67/F/C/W/T
B	100-104	CONC+ASPH	PCN 98/F/C/W/T	Q	11m	PCN 47/R/B/X/T	
			PCN 66/F/C/W/T	G	23m	PCN 98/F/C/X/T	
C	1B-4B	CONC+ASPH	NIL	TWY	Width	Surface	Bearing Strength
			PCN 56/F/C/W/T				
D	1K-5K	CONC+ASPH	PCN 68/F/C/X/T	TWY	Width	Surface	Bearing Strength
			PCN 68/F/C/X/T				
K	84, 89, 95	CONC+ASPH	PCN 67/F/C/W/T	TWY	Width	Surface	Bearing Strength
			PCN 67/F/C/W/T				



CHANGE: Add TWY G PCN

NURSULTAN NAZARBAYEV

STANDS CHARACTERISTICS

Apron	Stand	Coordinates	
		Latitude	Longitude
A	1	51 01 36.10 N	071 27 33.89 E
A	2	51 01 35.42 N	071 27 36.47 E
A	3	51 01 34.86 N	071 27 38.97 E
A	4	51 01 35.28 N	071 27 40.83 E
A	5	51 01 36.48 N	071 27 43.15 E
A	6	51 01 37.32 N	071 27 45.38 E
A	7	51 01 38.30 N	071 27 48.99 E
A	7L	51 01 37.17 N	071 27 48.80 E
A	7R	51 01 38.86 N	071 27 49.26 E
A	8	51 01 40.55 N	071 27 51.91 E
A	8L	51 01 39.17 N	071 27 51.94 E
A	8R	51 01 40.86 N	071 27 52.40 E
A	9	51 01 42.53 N	071 27 55.02 E
A	9L	51 01 41.13 N	071 27 55.15 E
A	9R	51 01 42.86 N	071 27 55.54 E
A	10	51 01 43.38 N	071 27 58.29 E
A	11	51 01 44.47 N	071 28 00.00 E
A	12	51 01 46.75 N	071 28 02.07 E
A	13	51 01 47.76 N	071 28 04.44 E
A	14	51 01 48.55 N	071 28 05.71 E
A	15	51 01 50.91 N	071 28 07.72 E
A	17	51 01 31.56 N	071 27 30.34 E
A	18	51 01 29.91 N	071 27 33.00 E
A	19	51 01 28.27 N	071 27 35.65 E
A	20	51 01 29.12 N	071 27 41.84 E
A	21	51 01 30.10 N	071 27 43.37 E
A	22	51 01 31.09 N	071 27 44.90 E
A	23	51 01 32.15 N	071 27 46.55 E
A	24	51 01 43.97 N	071 28 06.58 E
A	25	51 01 44.84 N	071 28 07.93 E
A	26	51 01 45.70 N	071 28 09.28 E
A	27	51 01 46.56 N	071 28 10.63 E
A	28	51 01 47.43 N	071 28 11.98 E
A	29	51 01 48.84 N	071 28 12.99 E
A	30	51 01 49.82 N	071 28 14.51 E
A	37	51 01 29.38 N	071 27 23.70 E
A	38	51 01 28.48 N	071 27 25.15 E
A	39	51 01 27.58 N	071 27 26.59 E
A	40	51 01 26.54 N	071 27 28.27 E
A	41	51 01 25.64 N	071 27 29.72 E
A	42	51 01 24.75 N	071 27 31.16 E
A	44	51 01 28.15 N	071 27 21.79 E
A	45	51 01 27.25 N	071 27 23.23 E
A	46	51 01 26.36 N	071 27 24.67 E
A	47	51 01 25.31 N	071 27 26.36 E
A	48	51 01 24.42 N	071 27 27.80 E
A	49	51 01 23.52 N	071 27 29.25 E

Apron	Stand	Coordinates	
		Latitude	Longitude
B	70	51 01 15.59 N	071 27 06.11 E
B	71	51 01 14.61 N	071 27 07.70 E
B	72	51 01 13.62 N	071 27 09.30 E
B	73	51 01 12.56 N	071 27 11.02 E
B	74	51 01 11.57 N	071 27 12.61 E
B	75	51 01 10.59 N	071 27 14.21 E
B	76	51 01 16.47 N	071 27 10.59 E
B	77	51 01 15.48 N	071 27 12.18 E
B	78	51 01 14.50 N	071 27 13.78 E
B	79	51 01 13.51 N	071 27 15.38 E
B	80	51 01 19.36 N	071 27 11.72 E
B	81	51 01 18.37 N	071 27 14.96 E
B	82	51 01 17.57 N	071 27 16.34 E
B	83	51 01 16.65 N	071 27 17.75 E
B	84	51 01 15.80 N	071 27 19.13 E
B	85	51 01 21.09 N	071 27 16.47 E
B	86	51 01 20.23 N	071 27 17.85 E
B	87	51 01 19.37 N	071 27 19.24 E
B	88	51 01 18.51 N	071 27 20.64 E
B	89	51 01 17.65 N	071 27 22.02 E
B	90	51 01 22.91 N	071 27 19.49 E
B	91	51 01 22.26 N	071 27 20.54 E
B	92	51 01 21.61 N	071 27 21.59 E
B	93	51 01 20.82 N	071 27 22.87 E
B	94	51 01 20.18 N	071 27 23.93 E
B	95	51 01 19.53 N	071 27 24.94 E
C	100	51 02 03.94 N	071 28 34.06 E
C	101	51 01 57.87 N	071 28 27.76 E
C	102	51 01 58.79 N	071 28 29.18 E
C	103	51 02 01.24 N	071 28 35.08 E
C	104	51 02 06.64 N	071 28 40.20 E
D	31	51 01 50.89 N	071 28 16.15 E
D	32	51 01 51.88 N	071 28 17.67 E
D	33	51 01 52.87 N	071 28 19.19 E
D	1B	51 01 54.03 N	071 28 13.08 E
D	2B	51 01 55.63 N	071 28 15.56 E
D	3B	51 01 56.80 N	071 28 19.00 E
D	4B	51 01 58.43 N	071 28 21.42 E
M	01M	51 02 12.79 N	071 28 45.16 E
M	02M	51 02 13.74 N	071 28 43.63 E
M	03M	51 02 14.69 N	071 28 42.09 E
M	04M	51 02 15.64 N	071 28 40.56 E
M	05M	51 02 16.51 N	071 28 39.15 E
M	06M	51 02 17.27 N	071 28 37.94 E
M	07M	51 02 18.02 N	071 28 36.73 E
M	08M	51 02 18.85 N	071 28 35.39 E
M	09M	51 02 19.75 N	071 28 33.95 E
M	10M	51 02 20.57 N	071 28 32.02 E
K	1K	51 02 20.89 N	071 29 10.27 E
K	2K	51 02 21.36 N	071 29 11.01 E
K	3K	51 02 21.96 N	071 29 11.91 E
K	4K	51 02 22.80 N	071 29 13.21 E
K	5K	51 02 23.99 N	071 29 17.36 E